



Manual Lever Operated Directional Valve

DG17S4-10*A-53

DG17S4-10*C-53

DG17S4-10*N-53


Model	Spool	ID Plate w/ Circuit Diagram			
		Offset (A)		Spring Center (C)	No-Spring Detent (N)
		LH	RH		
DG17S4-100A/C/N	282281			431900	431903
DG17S4-102A/C/N	282287	434310	431539	431540	431541
DG17S4-104C/N	282286			431549	431905
DG17S4-106A/C/N	282283	434310	431539	431902	431906
DG17S4-108C/N	282339			431549	431905
DG17S4-1033A/C/N	282285	434310	431539	431902	431906

■ Plug Torque		
Plug	N.m	lb. in.
7074	8.47-9.6	75-85
343740	10.0-11.8	90-105
407533	3.4-4.0	30-35

Rod	Model
323774	C/N
324348	A

Note
Parts included in service kits not sold separately.


Note
Right hand position shown. Reverse end covers, spool and spring for left hand assembly. Change ID plate to left hand (LH) on spring offset models.



□Use with No-Spring Detented models. Omit for Offset and Spring Centered.

○Use on Spring Centered (C) models only.

▲Included in F3 seal kit 920153
◇Included in Fastener kit 941293
※Included in Plug kit 941294
■Plug torque (See table)
◆Not available for sale




ΔUse with No-Spring Detented (N) and Spring Centered (C) models only..

●Parts for Spring Offset (A) models only.

Seal Kit Note

The -53 design valves are manufactured as shown with F3 seals used internally. Interface seals are standard Nitrile material and are converted to F3 in the seal kit. All seals in the kit are F3.

Model Code



1 Seals F3 - Multi-fluid capability (Viton ® seals) Viton is a registered trademark of E.I. DuPont	3 Valve Size 100 series - 1.250 inch (31,7 mm)	5 Valve Type A - Spring offset C - Spring centered N - No-spring detented
2 Model Series Directional control valve, manifold or subplate mounted, manual lever operated, sliding spool, 4 –4 way flow directions	4 Spool Types	6 Design

For satisfactory service life of these components, use full flow filtration to provide fluid which meets ISO cleanliness code 16/13 or cleaner. Selections from pressure, return, and in-line filter series are recommended.

Products we offer:

- Cartridge valves
- DCV directional control valves
- Electric converters
- Electric machines
- Electric motors
- Gear motors
- Gear pumps
- Hydraulic integrated circuits (HICs)
- Hydrostatic motors
- Hydrostatic pumps
- Orbital motors
- PLUS+1® controllers
- PLUS+1® displays
- PLUS+1® joysticks and pedals
- PLUS+1® operator interfaces
- PLUS+1® sensors
- PLUS+1® software
- PLUS+1® software services, support and training
- Position controls and sensors
- PVG proportional valves
- Steering components and systems
- Telematics

Hydro-Gear

www.hydro-gear.com

Daikin-Sauer-Danfoss

www.daikin-sauer-danfoss.com

Danfoss Power Solutions is a global manufacturer and supplier of high-quality hydraulic and electric components. We specialize in providing state-of-the-art technology and solutions that excel in the harsh operating conditions of the mobile off-highway market as well as the marine sector. Building on our extensive applications expertise, we work closely with you to ensure exceptional performance for a broad range of applications. We help you and other customers around the world speed up system development, reduce costs and bring vehicles and vessels to market faster.

Danfoss Power Solutions – your strongest partner in mobile hydraulics and mobile electrification.

Go to www.danfoss.com for further product information.

We offer you expert worldwide support for ensuring the best possible solutions for outstanding performance. And with an extensive network of Global Service Partners, we also provide you with comprehensive global service for all of our components.

Local address:

**Danfoss
Power Solutions (US) Company**
2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515 239 6000

**Danfoss
Power Solutions GmbH & Co. OHG**
Krokamp 35
D-24539 Neumünster, Germany
Phone: +49 4321 871 0

**Danfoss
Power Solutions ApS**
Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

**Danfoss
Power Solutions Trading
(Shanghai) Co., Ltd.**
Building #22, No. 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 2080 6201

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.